



**AIRLESSCO™**

MANUFACTURED BY GRACO®



**AIRLESSCO®**  
MANUFACTURED BY GRACO®

**BUILT TO PERFORM.  
BUILT TO LAST.**

PROFESSIONAL SPRAY EQUIPMENT





## Why choose an Airlessco sprayer?

### UNMATCHED PERFORMANCE

For operational life and low-cost maintenance, Airlessco paint sprayers outshine most other sprayers. Our newest range pumps more liters of paint with first-rate results, reliably job after job.

### UNRIVALED DURABILITY

**DURABLE MOTOR:** Each Airlessco MP/LP/SL/TS Sprayer is built with an ultra-durable DC motor. They turn slower, driving the pump with a solid gear system. The motors are larger with more torque, making them longer lasting and more reliable.

**LONG LIFE PISTON:** Airlessco pumps utilize hardened stainless steel and chrome to deliver the longest lasting pumps available.

**ADJUSTABLE PACKINGS:** Airlessco's exclusive Pro-Duty Pump design is the only one that lets you tighten upper and lower packing tension from outside the pump, extending the life of the packings.

### SERVICE

Professionals who use paint sprayers daily need customer service and technical support that keeps the pace. Airlessco's full-service technical department is standing by to give you in-the-moment advice and help.

# Maximize performance. Minimize costs.

AIRLESSCO



CHANNEL NOW LIVE.  
DISCOVER IT HERE:



## Quick Repair Pump™

- Fast on-the-job pump repair
- No special tools required
- Eliminates costly downtime

## Pro-Duty Pump™

- Chrome-plated rods and adjustable packings for extended pump life

## Heavy-Duty Drive System

- 2-stage gear drive delivers both reliability and precision without the use of a belt



## A SPRAYER FOR EVERY JOB:

**RESIDENTIAL** – HVLP, SP Series and MP Series (pg 4-9)

**RESIDENTIAL/LIGHT COMMERCIAL** – LP Series (pg 10-11)

**RESIDENTIAL/MEDIUM COMMERCIAL & LIGHT INDUSTRIAL** – SL Series (pg 12) - GS Series (pg 14)

**INDUSTRIAL** – TS Series (pg 13) – HSS Series (pg 15)

**PROFESSIONAL CONTRACT STRIPING** – SureStripe Series (pg 16-17)

**ACCESSORIES** – (p 18-23)



# HVLP SERIES

## HIGH VOLUME LOW PRESSURE PAINT SPRAYERS FOR RESIDENTIAL USE

With the HVLP-series, the Airlessco offer gets completed with a set of HVLP sprayers, covering all fine finish jobs with optimal finish quality and minimal overspray. Both turbines get shipped with top of the line spray guns, 1 liter cup, a flexible air hose and motor speed regulation at the unit.

The HV4000Luxe is powered by a 4 stage turbine and loaded with latest technological features, like the turbine that shuts off automatically if no air is needed at the gun.

### HV3000 Comfort

- APPLICATIONS:** Small fine finish jobs on wood and metal
- SPRAY:** Water and solvent-based fine finish materials (enamels, lacquers,...)
- USAGE:** Up to 20 m<sup>2</sup> per day
- FEATURES:**
- Convenient, light and transportable 3-stage turbine
  - Turbine speed control at the unit
  - Lightweight gun, convertible from suction to gravity style
  - Self adjusting air/fluid ratio at trigger of the gun
  - Fan direction and pattern control at the nozzle
  - Easy needle exchange
  - Air filtration
- INCLUDES:** 6 m hose, gun with 1 liter cup and #3 needle





## HV4000 Luxe

- APPLICATIONS:** Small and big fine finish jobs on wood and metal
- SPRAY:** Water and solvent-based fine finish materials (enamels, lacquers,...)
- USAGE:** Up to 50 m<sup>2</sup> per day
- FEATURES:**
- Convenient, light and transportable 4-stage turbine
  - Turbine speed control at the unit with LED indication
  - **Turbine stops automatic if no air needed** at the gun
  - Lightweight gun delivered with 1 liter suction cup and gravity cup
  - Manual regulation of air and fluid ratio, to your own preference
  - Fan direction and pattern control at the nozzle
  - Easy needle exchange
  - Gun and needle storage at the turbine
  - Air filtration with automotive high density filter
- INCLUDES:** 9 m hose, 1.2 m whip hose, gun, 1 liter suction, gravity cup and #3, #4 needles

SPECIFICATIONS	HV3000	HV4000
<b>Model Type</b>	Comfort	Luxe
<b>Part Number 230 V</b>	17P545	17P546
<b>Number of turbine stages</b>	3	4
<b>Max Output lpm</b>	3000	4000
<b>Max Working Pressure bar / psi</b>	0.5 / 7	0.6 / 9
<b>Hose Length m / ft</b>	6 / 20	9 / 30
<b>Whip hose m / ft</b>	-	1.2 m / 4
<b>Cup litre / gallon</b>	1 / 0.25	1 / 0.25
<b>Gun dock</b>	-	✓
<b>Needle storage</b>	-	✓
<b>Needle</b>	#3	#3, #4
<b>Turbine speed regulation</b>	✓	✓ + LED indication
<b>Automatic stop turbine</b>	-	✓
<b>Fan width regulation at the gun</b>	-	✓
<b>Air regulation at gun</b>	-	✓
<b>Fluid regulation at gun</b>	✓	✓
<b>Convertible to gravity cup</b>	✓	✓
<b>Gravity cup delivered with the unit</b>	-	✓

# SP380

## ELECTRIC AIRLESS PAINT SPRAYERS FOR RESIDENTIAL USE

These entry-level sprayers spray a variety of interior water and solvent-based coatings. They're ideal for the contractor who sprays occasionally or has one big job, or for a homeowner painting the whole house. Compact, lightweight piston pumps make these sprayers easy to move around the job site, and the Quick Repair Pump system lets you repair the pump on the spot and keep moving.

### SP380

**APPLICATIONS:**

Small to medium residential projects

**SPRAY:**

Water and solvent-based coatings, 100% acrylics, stains and varnishes

**USAGE:**

Up to 1,900 litre per year

**FEATURES:**

- Pump directly from your paint container
- Power-piston pump with QRP and long life
- InstaClean™ pump filter helps remove debris, reducing tip plugs and providing a better finish
- Lightweight stand is easy to carry to any job site
- Pressure control with user-friendly symbols for simple selection of operating modes

**INCLUDES:**

1/4" x 15 m hose, 4-finger trigger ProLight 500 gun and 515 Rev-Tip



### SPECIFICATIONS

### SP380

<b>Model Type</b>	Stand
<b>Part Number 230 V</b>	17G185
<b>Max Tip Size</b>	0.019"
<b>Max Output lpm / gpm</b>	1.4 / 0.38
<b>Max Working Pressure bar / psi</b>	207 / 3,000
<b>Max Hose Length m / ft</b>	15 / 45
<b>Unit Weight kg / lbs</b>	13 / 28
<b>Motor</b>	7/8 HP DC

# QUICK REPAIR PUMP

## QUICK REPAIR PUMP SYSTEM

Skip the downtime and extra costs of waiting for replacement parts or driving to the service center. Airlessco keeps you productive with the Quick Repair Pump system.

With a spare cartridge kit on hand, you can remove and replace the cartridge in four simple steps and get back to work.



**1. SLIDE OPEN THE ACCESS DOOR**



**2. REMOVE PUMP SECTION**



**3. USE FRAME TO REMOVE CARTRIDGE**



**4. INSTALL NEW CARTRIDGE AND REPLACE PUMP**

# MP455

## ELECTRIC AIRLESS PAINT SPRAYERS FOR RESIDENTIAL/LIGHT COMMERCIAL USE

**MP and LP Series** sprayers features tough, compact, well-balanced frames, protecting the pump and making it easy to carry. The pump is the core of any airless sprayer, and these are built with Airlessco's new Pro-Duty Quick Repair pump with externally adjustable packing that keeps you spraying. With it's fan-cooled DC motor, you get reliable performance every day.

### MP455

**APPLICATIONS:**

Medium to large residential projects

**SPRAY:**

Water and solvent-based coatings, most interior decorative paints, stains, varnishes and lacquers

**USAGE:**

Up to 5,700 litre per year

**FEATURES:**

- Industrial quality high torque DC motor
- Pro-Duty pump with chrome piston rod and lifetime pump cylinder
- Exclusive externally adjustable packings
- Reliable pressure control for smooth spraying

**INCLUDES:**

1/4" x 15 m hose, 4-finger trigger ProLight 500 gun, conversion kit to 2-finger trigger and 517 Rev-Tip



### SPECIFICATIONS

### MP455

SPECIFICATIONS	MP455
Model Type	Stand
Part Number 230 V	17M196
Part Number 110 V	17M207
Max Tip Size	0.021"
Max Output lpm / gpm	1.8 / 0.48
Max Working Pressure bar / psi	227 / 3,300
Max Hose Length m / ft	30 / 90
Unit Weight kg / lbs	17 / 38
Motor	5/8 HP DC





# LP SERIES

## ELECTRIC AIRLESS PAINT SPRAYERS FOR RESIDENTIAL/LIGHT COMMERCIAL USE



### LP555

**APPLICATIONS:**

Medium to large residential projects and light commercial buildings

**SPRAY:**

Water and solvent-based coatings, most interior decorative paints, stains, varnishes and lacquers

**USAGE:**

Up to 7,500 litre per year

**FEATURES:**

- Precision spray control system provides smooth spraying across a wide range of pressures
- LCD digital display
- Industrial quality high torque TEFC DC motor
- Pro-Duty pump with chrome piston rod and lifetime pump cylinder
- Exclusive externally adjustable packings

**INCLUDES:**

1/4" x 15 m hose, 4-finger trigger ProLight 500 gun, conversion kit to 2-finger trigger and 517 Rev-Tip

SPECIFICATIONS	LP555	LP555
<b>Model Type</b>	Stand	Hiboy
<b>Part Number 230 V</b>	17M197	17M198
<b>Part Number 110 V</b>	17M208	17M209
<b>Max Tip Size</b>	0.023"	0.023"
<b>Max Output lpm / gpm</b>	2.0 / 0.54	2.0 / 0.54
<b>Max Working Pressure bar / psi</b>	227 / 3,300	227 / 3,300
<b>Max Hose Length m / ft</b>	45 / 135	45 / 135
<b>Unit Weight kg / lbs</b>	23 / 50	30 / 67
<b>Motor</b>	7/8 HP TEFC DC	7/8 HP TEFC DC





## LP655

### APPLICATIONS:

Medium to large residential projects and small commercial buildings

### SPRAY:

Water and solvent-based coatings, most interior decorative paints, stains, varnishes and lacquers

### USAGE:

Up to 9,500 litre per year

### FEATURES:

All of the features of the LP555

### INCLUDES:

1/4" x 15 m hose, 4-finger trigger ProLight 500 gun, conversion kit to 2-finger trigger and 517 Rev-Tip



## SPECIFICATIONS

	LP655	LP655
<b>Model Type</b>	Lobby	Hiboy
<b>Part Number 230 V</b>	17M201	17M200
<b>Part Number 110 V</b>	-	17M211
<b>Max Tip Size</b>	0.025"	0.025"
<b>Max Output lpm / gpm</b>	2.3 / 0.60	2.3 / 0.60
<b>Max Working Pressure bar / psi</b>	227 / 3,300	227 / 3,300
<b>Max Hose Length m / ft</b>	45 / 135	45 / 135
<b>Unit Weight kg / lbs</b>	29 / 64	30 / 67
<b>Motor</b>	1.0 HP TEFC DC	1.0 HP TEFC DC

# LP SERIES

## ELECTRIC AIRLESS PAINT SPRAYER FOR RESIDENTIAL/MEDIUM COMMERCIAL/LIGHT INDUSTRIAL USE



### LP955

**APPLICATIONS:**

Large residential projects and commercial and industrial use  
Water and solvent-based coatings, interior and exterior wall  
paints, roof coatings, stains, sealers, varnishes and lacquers

**SPRAY:**

Up to 11,500 litre per year

**USAGE:**

**FEATURES:**

- Precision spray control system provides smooth spraying across a wide range of pressures
- LCD digital display
- Industrial quality, high torque brushless DC motor
- Chrome piston rod and cylinder for long life and V Max long lasting packings
- Large high pressure filter
- Ability to spray with 2-guns
- KickStand allows clean bucket exchange and easy access to the pump for single operators
- QuickFlush facilitates a 4 times faster cleaning process with 50% less water waste

**INCLUDES:**

1/4" x 15 m hose, 4-finger trigger ProLight 500 gun, conversion kit to 2-finger trigger and 517 Rev-Tip



### SPECIFICATIONS

### LP955

<b>Model Type</b>	Hiboy
<b>Part Number 230 V</b>	18C271
<b>Max Tip Size</b>	0.029" 1-gun 0.019" 2-guns
<b>Max Output lpm / gpm</b>	3.0 / 0.80
<b>Max Working Pressure bar / psi</b>	227 / 3,300
<b>Max Hose Length m / ft</b>	45 / 135
<b>Unit Weight kg / lbs</b>	34 / 75
<b>Motor</b>	1.8 Brushless



**AIRLESSCO**  
MANUFACTURED BY GRACO®



# SL & TS SERIES

## ELECTRIC AIRLESS PAINT SPRAYERS FOR RESIDENTIAL/MEDIUM COMMERCIAL & LIGHT INDUSTRIAL USE

Ultra-durable, this electric sprayer is designed for contractors who handle a high volume of work and want a machine with the power to support multiple guns or pump the heaviest coatings, like epoxies and elastomerics. The Slow Stroker pump is built for the long haul, with strengthened capacity. Features that add longevity include the heavy-duty gear box with hardened steel gears, a no-maintenance drive, and a smooth-rolling, chrome-plated, steel tube cart design with pneumatic wheels.

### SL1250

#### APPLICATIONS:

Large residential projects and commercial and industrial use  
Ideal for 2-gun applications

#### SPRAY:

Water and solvent-based coatings, interior and exterior wall paints, block fillers, roof coatings, stains, sealers, varnishes and lacquers

#### USAGE:

Up to 28,000 litre per year

#### FEATURES:

- Precision spray control system provides smooth spraying across a wide range of pressures
- LED digital display
- Industrial quality, high torque brushless DC motor
- Chrome piston rod and cylinder for long life and V Max long lasting packings
- Large high pressure filter
- Ability to spray with 2-guns

#### INCLUDES:

1/4" x 15 m hose, 4-finger trigger ProLight 500 gun, conversion kit to 2-finger trigger and 517 Rev-Tip



SPECIFICATIONS	SL1250
<b>Model Type</b>	Hiboy
<b>Part Number 230 V</b>	17M202
<b>Part Number 110 V</b>	17M212
<b>Max Tip Size</b>	0.031" 1-gun 0.019" 2-guns
<b>Max Output lpm / gpm</b>	3.6 / 0.95
<b>Max Working Pressure bar / psi</b>	227 / 3,300
<b>Max Hose Length m / ft</b>	60 / 180
<b>Unit Weight kg / lbs</b>	39 / 87
<b>Motor</b>	2.0 HP Brushless DC Motor



## AIRLESS/TEXTURE SPRAYERS FOR INDUSTRIAL USE

Choose this airless/texture sprayer for handling a high volume of contract work, pumping extremely heavy materials. The pump is ideal for spraying a skim coat layer of drywall mud for a Level 5 finish. Equipped with an extra-long piston, with foot valve located at the bottom of the pump, the TS1750 gives you the necessary suction for heavy coatings. Features that add to its long life include the heavy-duty gear box with hardened steel gears, and a smooth-rolling, chrome-plated, steel tube cart with pneumatic wheels. The hose reel model also includes the LED digital display providing a precise readout of output pressure from 20 to 227 bar. These high performance units are powered by a totally enclosed, fan-cooled, industrial-quality brushless DC motor.

### TS1750

**APPLICATIONS:**  
**SPRAY:**

Large residential commercial projects and industrial use  
Water and solvent-based coatings, 100% acrylics, all interior and exterior wall paints, dry fall, mastics, epoxy, intumescent coatings, waterproofing coatings and drywall mud

**USAGE:**

Up to 28,000 litre per year

**FEATURES:**

- Precision spray control system provides smooth spraying across a wide range of pressures
- LED digital display
- Industrial quality high torque 2.2 HP DC motor (2.8 HP DC motor 110V)
- Chrome piston rod and cylinder for long life and V Max long lasting packings
- Long pump submerged in material allowing heavy materials to be sprayed
- Heavy-duty gear box with hardened steel gears
- Large inlet seat for higher flow
- Ability to spray with 2-guns

**INCLUDES:**

3/8" x 15 m hose, Mastic gun, and 631 Rev-Tip



DISPLAY CONTROL FEATURE

SPECIFICATIONS	TS1750	TS1750	TS1750
<b>Model Type</b>	Hiboy	Hiboy	Hose Reel
<b>Part Number 230 V</b>	17M203	-	17M204
<b>Part Number 110 V</b>	-	17M213	-
<b>Max Tip Size Paint</b>	0.035"	0.039"	0.035"
<b>Max Tip Size Plaster</b>	0.037"	0.041"	0.037"
<b>Max Output lpm / gpm</b>	4.5 / 1.2	5.1 / 1.35	4.5 / 1.2
<b>Max Working Pressure bar / psi</b>	227 / 3,300	227 / 3,300	227 / 3,300
<b>Max Hose Length m / ft</b>	90 / 270	90 / 270	90 / 270
<b>Unit Weight kg / lbs</b>	54 / 118	54 / 118	60 / 133
<b>Motor</b>	2.2 HP Brushless DC Motor	2.8 HP Brushless DC Motor	2.2 HP Brushless DC Motor

# GS & HSS SERIES

## GAS AIRLESS PAINT SPRAYERS FOR RESIDENTIAL/MEDIUM COMMERCIAL & LIGHT INDUSTRIAL USE

GS Series gas airless paint sprayers deliver versatility when it's a hassle to access electrical power, often the case with new construction or big jobs where you're moving around. They combine the Pro-Duty pump with a dependable Vanguard® gas engine that's CARB/EPA certified and includes oil alert engine protection if the oil gets low.

### GS950

**APPLICATIONS:**

Large residential/commercial projects, and industrial use

**SPRAY:**

Water and solvent-based coatings, interior and exterior wall paints, block fillers, roof coatings, stains, sealers, varnishes and lacquers

**USAGE:**

Up to 38,000 litre per year

**FEATURES:**

- Precision spray control system provides smooth spraying across a wide range of pressures
- Vanguard 5.5 HP engine with a 3-year warranty and oil alert engine protection
- Pro-Duty pump with chrome piston and lifetime pump cylinder
- Exclusive externally adjustable packings
- Oversized high-pressure filter

**INCLUDES:**

1/4" x 15 m hose, 4-finger trigger ProLight 500 gun, conversion kit to 2-finger trigger and 517 Rev-Tip



SPECIFICATIONS	GS950
Model Type	Hiboy
Part Number 230 V	17M141
Max Tip Size	0.027"
Max Output lpm / gpm	2.8 / 0.75
Max Working Pressure bar / psi	227 / 3,300
Max Hose Length m / ft	90 / 270
Unit Weight kg / lbs	45 / 100
Motor	5.5 HP Vanguard Engine





## ELECTRIC AND GAS HYDRAULIC PAINT SPRAYERS FOR INDUSTRIAL USE

The feature-loaded HSS series raises the bar for hydraulic and paint pump performance. Airlessco has substantially enhanced the durability of these versatile sprayers to optimize your output and cost efficiency.

### HSS9950

**APPLICATIONS:**

Large residential projects, commercial, and industrial use

**SPRAY:**

Water and solvent-based coatings, 100% acrylics, all interior and exterior wall paints, dry fall, mastics, epoxy, intumescent coatings, waterproofing coatings, drywall mud, bitumes, and high viscosity materials

**USAGE:**

Up to 110,000 litre per year

**FEATURES:**

- Easily pumps heavy bodied coatings
- Slow stroking design for long life
- Less frequent maintenance for reduced operating costs and down time
- Larger inlet seat for higher flow
- Long pump is submerged in material – allowing heavy materials to be sprayed
- Oversized hydraulic pump for long life
- Large capacity reservoir keeps the system cool
- Lower operating temps for reduced friction and wear
- Belt guard pivots open for easy removal of engine

**INCLUDES:**

1/2" x 15 m + 3/8" x 1.2 m whip hose, mastic gun, and 631 Rev-Tip



**SLOW STROKE: LESS WEAR,  
IMPROVED PUMP EFFICIENCY**



SPECIFICATIONS	HSS9950	HSS9950
<b>Model Type</b>	ELECTRIC	GAS HYDRAULIC
<b>Part Number 230 V</b>	17M205	17M206
<b>Max Tip Size</b>	0.047"	0.057"
<b>Max Output lpm / gpm</b>	5.9 / 1.6	8.9 / 2.35
<b>Max Working Pressure bar / psi</b>	227 / 3,300	227 / 3,300
<b>Max Hose Length m / ft</b>	90 / 270	90 / 270
<b>Unit Weight kg / lbs</b>	85 / 187	90 / 197
<b>Motor</b>	electric, brushed	6.5 HP Vanguard Engine



## GAS AIRLESS STRIPERS FOR PROFESSIONAL CONTRACT STRIPING

The Sure Stripe 3350 is the perfect striper for professional restripe jobs, small parking lots, schools, and sports fields. With its proven components, the Sure Stripe 3350 delivers high quality lines and unmatched performance. The Sure Stripe 3350 SP is a Self Propelled striper with an on-board electric motor that propels the striper for you. Control the speed manually or set a fixed speed to obtain a constant line thickness.

### Sure Stripe 3350 SP

- EXTRA FEATURES:**
- Independent Self Propel system
  - On-board 12V battery, recharging via Vanguard engine
  - Adjustable speed forward driving, single button activation
  - "Cruise-control" allows you to set a fixed speed while spraying

### Sure Stripe 3350

- APPLICATIONS:** Small to medium size striping jobs
- FEATURES:**
- Front swivel wheel for maximum maneuverability
  - Move spray gun assembly in seconds; left/right, front/back — no tools needed!
  - Vanguard engine provides unmatched power
  - Electronic pressure control provides excellent line quality
  - Extra large manifold filter prevents clogging
  - Large bucket holder has room for oversized 55 litre paint hopper
  - Pro-Duty pump with chrome piston rod and hardened cylinder
  - Exclusive externally adjustable packings



SELF PROPELLED



SPECIFICATIONS	SURE STRIPE 3350 SP	SURE STRIPE 3350
Part Number	25M232	25M231
Max Tip Size	0.027"	0.027"
Max Output lpm / gpm	2.8 / .75	2.8 / .75
Max Working Pressure bar / psi	227 / 3,300	227 / 3,300
Unit Weight kg / lbs	99 / 218	76 / 168
Engine	6.5 HP Vanguard	6.5 HP Vanguard
Applications	Turf & Pavement	Turf & Pavement

The Sure Stripe 4350 is the perfect striper for your mid to large size jobs. These include parking lots, intersections, bike paths, and many more applications where increased performance is needed. The Sure Stripe 4350 is the ideal unit for your everyday striping jobs that demand perfect line quality at an affordable price.



## Sure Stripe 4350

### APPLICATIONS:

Mid to large size striping jobs

### FEATURES:

- Front swivel wheel for maximum maneuverability
- Move spray gun assembly in seconds; left/right, front/back — no tools needed!
- Vanguard engine provides unmatched power
- Electronic pressure control provides excellent line quality
- Extra large manifold filter prevents clogging
- Large bucket holder has room for oversized 55 litre paint hopper
- Chrome piston rod and cylinder for long life and V Max long lasting packings



### SPECIFICATIONS

### SURE STRIPE 4350

<b>Part Number</b> 1 GUN	25M233
2 GUNS	25M234
<b>Max Tip Size</b> 1 GUN	0.035"
2 GUNS	0.025"
<b>Max Output</b> lpm / gpm	4.7 / 1.25
<b>Max Working Pressure</b> bar / psi	227 / 3,300
<b>Unit Weight</b> kg / lbs	83 / 183
<b>Engine</b>	6.5 HP Vanguard
<b>Applications</b>	Turf & Pavement

# ACCESSORIES

## AIRLESS SPRAY GUNS

Light trigger pull – trigger lock – hand tighten "no tools required"  
 – easy-clean one-way filter with nylon reinforced core – extra large carbide ball and seat for long wear – durable stainless steel threads for tip attachments – long life needle seal.

SPRAY GUN SPECIFICATIONS	PROLIGHT 500 SERIES	MASTIC TEXTURE	INLINE GUN, 7/8"
<b>2-Finger Trigger</b>	17N201 (4-finger trigger installed with ability to convert to 2-finger trigger)	N/A	N/A
<b>4-Finger Trigger</b>		24E470	670-G
<b>Max Working Pressure bar / psi</b>	248 / 3,600	276 / 4,000	248 / 3,600
<b>Tip &amp; Guard Included</b>	Rev-Tip™ 517	-	-
<b>Repair Kit Available</b>	288817	237260	6727-G

### GUARD & SEALS

<b>Reversible Guard 11/16-16</b>	855051
<b>Reversible Guard 7/8-14</b>	855052
<b>Metal seal with O-ring</b>	858029
<b>Seal tip</b>	855026
<b>Guard, M18 X 1.5</b>	249305
<b>Base, Flat Tip, 7/8"</b>	420-G
<b>Base, Flat Tip, 11/16"</b>	420-F
<b>Flat tip gasket - tube of 8</b>	401-8
<b>Extension Gasket</b>	233951

### "F" TO "G" ADAPTER

<b>Converts "F" Thread to "G" Thread</b>	248248
--	--------

### SWIVEL "G" THREAD

<b>(7/8" x 1/2")</b>	7506AG
----------------------	--------

### MASTIC GUN AIR ATOMIZER KIT WITHOUT AIR HOSE

<b>Minimum air compressor rating of 15 cfm at 6 bar (90 psi)</b>	244223
--	--------





## AIRLESS HOSE

Airlessco airless hose provide superior flexibility and durability. They are designed to ensure you get the best results from your airless sprayer. They have swivel couplers and spring guards on both ends and can be coupled with other airless hoses. Whip hoses can be added to provide additional flexibility and reduce operator fatigue.

### STRONG, FLEXIBLE WHIP HOSE

for sprayers up to 230 bar

<b>3/16" x 1.2 m</b>	867741
<b>1/4" x 0.9 m</b>	867737
<b>1/4" x 1.5 m</b>	867739
<b>3/8" x 1.8 m</b>	867742



### STRONG, FLEXIBLE HOSE

for sprayers up to 230 bar

<b>1/4" x 15 m</b>	865674
<b>3/8" x 15 m</b>	865675
<b>1/2" x 15 m</b>	278499
<b>1/4" x 7.5 m</b>	240793
<b>3/16" x 7.5 m</b>	214698



### SPRAY PACKS

include gun with airless hose:

<b>Spray Pack Texture 3/8" x 15 m hose &amp; Mastic Gun</b>	865702
<b>Spray Pack Paint 1/4" x 15 m hose &amp; Prolight 500 Gun</b>	19A483



# ACCESSORIES

## EXTENSIONS

Extended reach tools are ideal for hard-to-reach areas like soffits, stairways and vaulted ceilings. Extend your range and spray more efficiently without ladders or scaffolding. Airless tip and pole extensions can be attached directly to an airless gun making them ideal for spraying ceilings overhangs and decks.

### EXTENSIONS

Extension, 15cm, 7/8"	865609
Extension, 30cm, 7/8"	865602
Extension, 45cm, 7/8"	865603
Extension, 60cm, 7/8"	865604
Extension, 90cm, 7/8"	865606
Extension, HD, 60cm, 7/8" & anglehead	248242
Extension, HD, 90cm, 7/8" & anglehead	248243
Extension, HD, 120cm, 7/8" & anglehead	248244
Extension, HD, 180cm, 7/8" & anglehead	248245
Extension, HD, 270cm, 7/8" & anglehead	248246
Extension, HD, 60cm, 11/16" & anglehead	7402-F
Extension, HD, 90cm, 11/16" & anglehead	7403-F
Extension, HD, 120cm, 11/16" & anglehead	7404-F
Extension, HD, 180cm, 11/16" & anglehead	7406-F
Extension, HD, 170cm, 11/16" & anglehead	7409-F
Extension, Tube Only, 15cm, 11/16"	3006-F
Extension, Tube Only, 30cm, 11/16"	3012-F
Extension, Tube Only, 45cm, 11/16"	3018-F
Extension, Tube Only, 60cm, 11/16"	3024-F



### SPRAY PACK

Extension spray tool	19Y770
----------------------	--------

\*Spray Pack including: Airlessco Inline Gun + Heavy Duty Extension 90 CM w/ Angle Head + ARV517 Tip

### ADAPTERS

ADAPTER 1/2"-20UNF(FEMALE) X 11/16"-16UN(MALE)	3430-F
ADAPTER 1/2"-20UNF(FEMALE) X 7/8"-14UNF(MALE)	3430-G

\*Connect two extension tubes with the adapters



# ACCESSORIES

## SPRAY TIPS

This selection guide is given as an indication. You should always refer to the sprayed material data sheet to choose the correct tip.



ARV XXX Material Sprayed	Tip Size	Spray Pattern Width							
		5 cm	10 cm	15 cm	20 cm	25 cm	30 cm	35 cm	40 cm
Stains / Varnishes	0.007"		207	307					
	0.009"		209	309	409	509	609		
Lacquers / Protective Lacquers	0.011"	111	211	311	411	511	611		
	0.013"	113	213	313	413	513	613		
Primers / Interior and Exterior Paint	0.015"	115	215	315	415	515	615	715	815
	0.017"		217	317	417	517	617	717	817
	0.019"	119	219	319	419	519	619		819
	0.021"		221	321	421	521	621	721	821
Heavy Exterior Paint / Light Premixed Plaster	0.023"		223	323	423	523	623	723	
	0.025"		225	325	425	525	625	725	
	0.027"		227	327	427	527	627		827
Premixed Plaster / Heavy Protective Coatings / Two Components Coatings	0.029"				429	529	629	729	
	0.031"			331	431	531	631		831
	0.033"				433	533	633		833
	0.035"		235		435	535	635	735	835
	0.037"						637		
	0.039"				439		639		
	0.041"						641		
	0.043"				443	543	643		
	0.045"						645		
	0.051"				451	551			
	0.055"				455	555	655		



AFF XXX Material Sprayed	Tip Size	5 cm	10 cm	15 cm	20 cm	25 cm	30 cm	35 cm	40 cm
Stains / Varnishes	0.010"	110	210	310	410	510			
Lacquers / Protective Lacquers	0.012"	112	212	312	412	512			
	0.014"		214	314	414	514			

69 XXX ST Material Sprayed	Tip Size	5 cm	10 cm	15 cm	20 cm	25 cm	30 cm	35 cm	40 cm
Road Striping Paints	0.015"		215	315					
	0.017"		217	317	417				
	0.019"		219	319	419				
	0.021"			321	421		621		
	0.023"			323	423		623		
	0.025"			325	425		625		
	0.027"				427		627		
	0.029"						629		
	0.031"				431				



**90BPxxx & 90SPxxx**



Material Sprayed	Tip Size	Spray Pattern Width Material								
		5 cm	10 cm	15 cm	20 cm	25 cm	30 cm	35 cm	40 cm	45 cm
Stains / Varnishes	0.007"		207	307	407					
	0.009"	109	209	309	409	509	609			
Lacquers / Protective Lacquers	0.0011"	111	211	311	411	511	611			
	0.0013"	113	213	313	413	513	613		813	
Primers / Interior and Exterior Paint	0.0015"	115	215	315	415	515	615	715	815	
	0.0017"		217	317	417	517	617	717	817	917
	0.0019"	119	219	319	419	519	619	719	819	
	0.0021"	121	221	321	421	521	621	721	821	921
Heavy Exterior Paint	0.0023"		223	323	423	523	623	723	823	
	0.0025"			325	425	525	625	725		925
	0.0027"		227	327	427	527	627		827	
Premixed Plaster / Heavy Protective Coatings / Two Components Coatings	0.0029"				429	529	629	729	829	
	0.0031"			331	431	531	631		831	
	0.0033"				433	533	633		833	
	0.0035"		235		435	535	635	735	835	935
	0.0039"				439					
	0.0043"					543				
	0.0045"						645			
	0.0051"				451					
	0.0055"						655			



# ACCESSORIES

## FLUIDS & FILTERS

Airlessco fluids and filters protect your equipment and keep them operating at peak performance. Airlessco fluids are approved for all airless spray pumps. MagiCLEAN™ safely removes paint from sprayers, hose, tips and guns. Pump Conditioner protects pumps from corrosion and rust during short and long term storage. Stay Clean™ spray protectant prevents paint from sticking to equipment.



PRODUCT	PART NUMBER	SIZE/QTY.	DESCRIPTION
<b>MagiCLEAN Starter Kit</b>	865657	11.3 l (3 gal) MagiCLEAN, Strainer Basket, Residue Tray	Safely removes paint from sprayers, hose, tips and guns
<b>MagiCLEAN Refill</b>	865656	3.8 l (1 gal)	Refill bottle for MagiCLEAN Starter Kit
<b>Pump Life Conditioner</b>	865713 865714 865715	25 ml 1 l (1 qt) 3.8 l (1 gal)	Prevent internal corrosion; lubricates check balls to prevent sticking
<b>Throat Seal Oil</b>	867670 188392	0.20 l (6 oz) 1 l (1 qt)	Prevents paint from drying on the piston and causing damage to upper packing
<b>Hydraulic Fluid</b>	865657	11.3 l (3 gal)	Fluid in which power is transferred in hydraulic machinery
<b>Stay Clean</b>	865705	.4 l (14 oz)	Prevent paint from sticking to sprayer
<b>Manifold Filters</b>	245571 244071 244067 244068 17P314 17P315 17P316 246383	Each Each Each Each Each Each Each Each	40 mesh InstaClean* (fits the SP380 and MP models) 30 mesh (fits GS and TS models) 60 mesh (fits GS and TS models) 100 mesh (fits GS and TS models) 30 mesh (fits LP and SL models) 60 mesh (fits LP and SL models) 100 mesh (fits LP and SL models) 200 mesh (fits LP and SL models)
<b>ProLight 500 Gun Filters</b>	17P312 17P313	Each Each	50 mesh 100 mesh
<b>Paint strainers</b>	867338 865663	one dozen per pack one dozen per pack	To cover suction filter 20 litre strainer
<b>Hose cover</b>	865696 867610	One roll (305 m) Six rolls (6 x 305 m)	Protects your hose from paint and abrasion damage

## HVLP ACCESSORIES

Airlessco provides a full range of HVLP accessories.

PART NUMBER	DESCRIPTION
17R351	HVLP gun HV3000 Comfort incl.cup and needle stop
17P655	HVLP gun HV4000 Luxe incl. cup and all controls
244132	1 liter metal cup
17P485	Fluid set #2 (0.8 mm)
17P486	Fluid set #3 (1.3 mm)
17P487	Fluid set #4 (1.8 mm)
17P488	Fluid set #5 (2.2 mm)
17P489	Fluid set #6 (2.5 mm)
17P490	Fluid set #7 (2.8 mm)
17P709	Gun air cap
17S115	Gravity cup kit to convert HV3000 gun (incl. cup + diffuser)
244136	Gravity cup 0.5 liter
257159	9 m Air hose
17R300	6 m Air hose
17R299	1.2 m Air hose



## STRIPING ACCESSORIES

Airlessco offers high performance striping accessories to maximize job site productivity.

PRODUCT	PART NUMBER	DESCRIPTION
<b>Striping Gun</b>	25M223	Fits Sure Stripe 3350, 4350 models; includes UniTip guard and 2 tips
<b>2-Gun Conversion Kit</b>	17P505	Fits Sure Stripe 4350 model; kit includes gun, hose cables and brackets
<b>55 litre Paint Hopper</b>	17P698	Fits Sure Stripe 3350, 4350 models; includes hopper and suction tube extension
<b>15 cm Gravity Feed Glass Bead Dispenser</b>	24Z726	Fits Sure Stripe 3350, 4350 models; includes 15 cm dispenser, hopper, wind deflector, and brackets
<b>30 cm Gravity Feed Glass Bead Dispenser</b>	24Z727	Fits Sure Stripe 3350, 4350 models; includes 30 cm dispenser, hopper, wind deflector, and brackets
<b>2x 15 cm Gravity Feed Glass Bead Dispenser</b>	24Z778	Fits Sure Stripe 3350, 4350 models; includes 2 pieces of 15 cm dispenser, hopper, wind deflector, and brackets
<b>Green Laser</b>	17P784	Fits Sure Stripe 3350 SP model only; includes Green Dot laser kit, on/off switch and cables
<b>Pro-Duty Pump</b>	17M989	Fits Sure Stripe 3350 & 3350 SP
<b>Endurance Pump</b>	277069	Fits Sure Stripe 4350

# ACCESSORIES

## MISCELLANEOUS

Airlessco provides a full range of repair kits and accessories to keep your equipment operating at peak performance and save time and labor on every job.

PRODUCT	PART NUMBER	DESCRIPTION
<b>Gun &amp; Hose Connectors</b>	867280 867278 867309	1/4", hose connector 3/8", hose connector 3/8" x 1/4" adapter
<b>Gun Swivel Assembly</b>	865707	Swivel assembly for all "G" thread spray guns
<b>Adapters</b>	032010 032011 865610 3430-F 3430-G	Gun nut "F" thread 11/16"-16 Gun nut "G" thread 7/8"-14 "F to G" adapter (7/8" m - 11/16" f) to attach Graco tip Adapter 1/2"-20unf(female) x 11/16"-16un(male) Adapter 1/2"-20unf(female) x 7/8"-14un(male)
<b>AngleHead Swivel</b>	248247	Includes Rev-Tip Hand-Tight Base ("G" thread only)
<b>Hose Cover</b>	865696 867610	1 roll (305 m) 6 rolls (6 x 305 m)
<b>Quick Repair Pump Kit</b>	17J759	SP380 Quick Repair Pump
<b>Replacement Pumps</b>	17M991 17M989 19B732	Pro-Duty QRP Flange mount Pro-Duty Threaded mount Pro Duty QRP for LP955
<b>Paint Hopper</b>	17H171 287987	6 litre capacity (1.5 gal) 90 litre capacity
<b>Bag Roller</b>	289587	To be mounted on Texture hopper (287987)



**PRO-DUTY**  
**QUICK REPAIR PUMP**

**PRO-DUTY QUICK REPAIR PUMP SYSTEM**

Airlessco keeps you productive with the Quick Repair Pump system. Reduce downtime and change the pump on the job — no special tools needed!



**1. LOOSEN LOCKING NUT**



**2. LIFT DOOR AND REMOVE PUMP**



**3. DISCONNECT HOSES**



# SPECIFICATIONS

Model	HV3000 Comfort*	HV4000 Luxe*	SP380	MP455	LP555	LP655
<b>Part Number 230 V</b>	17P545	17P546	17G185 Stand	17M196 Stand	17M197 Stand 17M198 Hiboy	17M201 Loboy 17M200 Hiboy
<b>Part Number 110 V</b>	-	-	-	17M207 Stand	17M208 Stand 17M209 Hiboy	- 17M211 Hiboy
<b>Manual Number</b>	3A5085C	3A5085C	NA	3A4193	3A4203	3A4203
<b>Max Tip Size</b>	NA	NA	0.019"	0.021"	0.023"	0.025"
<b>Max Working Pressure bar / psi</b>	0.5 / 7	0.6 / 9	207 / 3,000	227 / 3,300	227 / 3,300	227 / 3,300
<b>Max Output lpm / gpm</b>	3000	4000	1.4 / 0.38	1.8 / 0.48	2.0 / 0.54	2.3 / 0.60
<b>Max Hose Length m / ft</b>	6 / 20	9 / 30	15 / 45	30 / 90	45 / 135	45 / 135
<b>Unit Weight kg / lbs</b>	13 / 28	16 / 35	13 / 28	17 / 38	23 / 50 Stand 29 / 64 Hiboy	23 / 50 Stand 30 / 67 Loboy 29 / 64 Hiboy
<b>Motor/Engine</b>	NA	NA	7/8 HP DC	Brushed 5/8 HP DC	Brushed 7/8 HP TEFC DC	Brushed 1.0 HP TEFC DC

\* HVLP specifications are under construction - available soon

Model	Sure Stripe 3350	Sure Stripe 3350 Self Propelled	Sure Stripe 4350
<b>Part Number</b>	25M231	25M232	25M233 (1-gun) 25M234 (2-guns)
<b>Manual Number</b>	3A4619	3A4637	3A4628
<b>Max Tip Size</b>	0.027"	0.027"	0.035" (1-gun) 0.025" (2-guns)
<b>Max Output lpm / gpm</b>	2.8 / .75	2.8 / .75	4.7 / 1.25
<b>Max Working Pressure bar / psi</b>	227 / 3,300	227 / 3,300	227 / 3,300
<b>Unit Weight kg / lbs</b>	76 / 168	99 / 218	83 / 183
<b>Engine</b>	6.5 HP Vanguard	6.5 HP Vanguard	6.5 HP Vanguard



	<b>LP955</b>	<b>SL1250</b>	<b>TS1750</b>	<b>TS1750 Hose Reel</b>	<b>GS950</b>	<b>HSS9950</b>	<b>HSS9950 Gas</b>
	18C271 Hiboy	17M202 Hiboy	17M203 Hiboy	17M204	17M141 Hiboy	17M205	17M206
	-	17M212 Hiboy	17M213 Hiboy	-	-	-	-
	18C271	3A4168	3A4168	3A4168	3A4108	3A4102	3A4102
	1-Gun 0.029" 2-Gun 0.019"	0.031"	0.037"	0.037"	0.027"	0.047"	0.057"
	227 / 3,300	227 / 3,300	227 / 3,300	227 / 3,300	227 / 3,300	227 / 3,300	227 / 3,300
	3.0 / 0.80	3.6 / 0.95	5.1 / 1.35	5.1 / 1.35	2.8 / 0.75	5.4 / 1.6	8.9 / 2.35
	45 / 135	60 / 180	90 / 270	90 / 270	90 / 270	90 / 270	90 / 270
	34 / 75 Hiboy	39 / 87	54 / 118	60 / 133	45 / 100	85 / 157	90 / 187
	1.8 Brushless	Brushless 2.0 HP TEFC DC	Brushless 2.8 HP TEFC DC	Brushless 2.8 HP TEFC DC	Vanguard 5.5 HP	Brushed 3 HP	Vanguard 6.5 HP



## **AIRLESSCO WARRANTIES:**

### **1-YEAR STANDARD WARRANTY**

For 1 year from purchase date, we will repair any defective items to the original purchaser/user of an Airlessco airless sprayer.

### **2-YEAR EXTENDED WARRANTY**

Airlessco offers extended warranty of 2 years on Electrical parts and boards, turbines and clutches.

### **5-YEAR PREMIUM WARRANTY**

Airlessco offers PREMIUM 5-years warranty on chrome carts, 2-stage gear box, hard parts hydraulic motor and electric motors.

See operation manual for complete warranty information.  
Graco does not cover wear items.





[airlessco.com](http://airlessco.com)

 **YouTube**  
**Airlessco - EMEA**

